


## 201754 - Mittelverschluss verlängerbar MM 2200V mit 2 i.S. FFH/ FFB 1.701-2.200 Silber

### Technische Zeichnung



				L			N <sup>o</sup>
Für Anwendungsbereich 1501 - 1700 mm Artikelnummern 201753 und 201840 verwenden.							
Silber	2200V		mit 2 i.S.	1.410	1.701 - 2.200	10	<a href="#">201754</a>

### Schraubpositionstabelle

N <sup>o</sup>		1	2	3	4	5	6	7	8	
<a href="#">201754</a>	8	7	117,5	338,5	573,5	698	1.044	1.279	1.403	


### Zapfensitztablelle

N <sup>o</sup>		Z1	Z2	
<a href="#">201754</a>	2	638,5	1.344	


### Lehren

						N <sup>o</sup>
Frässhablone für Mittelverschluss Bandseite MM		4L		801 - 2.200	1	<a href="#">214676</a>
Einlegelehre für Mittelverschluss und Schere MM	mit Halter 48 mm		260 - 1.500	270 - 2.000	1	<a href="#">204771</a>

### Loch-Stift-Verbindung



### Loch-Stift-Verbindung mit Zahnkasten



## Anpressdruckeinstellung

i.S Zapfen und Verschlusszapfen

